

Author index

- Acedo MDP see Lacerda DR
- Agis M & Schlötterer C. Microsatellite variation in natural *Drosophila melanogaster* populations from New South Wales (Australia) and Tasmania, 1197
- Ainouche ML see Baumei A
- Aitken N see Ji W
- Allainé D see Goossens B
- Allender CJ see Turner GF
- Amos W see Gemmell NJ
- Anzidei M see Gugerli F
- Apte GS see Deshpande AU
- Arctander P see Nersting LG
- Ardlie KG see Huang S-W
- Arlati G see Congiu L
- Arnason E see Moum T
- Arnaud J-F, Madec L, Guiller A & Bellido A. Spatial analysis of allozyme and microsatellite DNA polymorphisms in the land snail *Helix aspersa* (Gastropoda: Helicidae), 1563
- Arnold GM see Green JM
- Arnold ML see Johnston JA
- Arntzen JW see Jehle R
- Ashley MV see Constable JL
- Ashley MV see Feldheim KA
- Asplund T see Nilsson J
- Atkinson R see Stone G
- Auffray J-C see Gündüz i
- Auge H, Neuffer B, Erlinghagen F, Grupe R & Brandl R. Demographic and random amplified polymorphic DNA analyses reveal high levels of genetic diversity in a clonal violet, 1811
- Augner M see Stenström A
- Aurelle D & Berrebi P. Genetic Structure of brown trout (*Salmo trutta*, L.) populations from south-western France: data from mitochondrial control region variability, 1551
- Avise JC see Jones AG
- Avise JC see McCoy EE
- Avise JC see Pearse DE
- Bachmann K see Stehlik I
- Bahulikar RA see Deshpande AU
- Baimai V see Walton C
- Baker CS see Pichler FB
- Barabesi C see Mengoni A
- Bargues MD see Meunier C
- Barker JHA see Green JM
- Barracough TG see Ribera I
- Barratt EM see Beaumont MA
- Barratt EM see Burland TM
- Barton NH. The role of hybridization in evolution, 551
- Basley DJ see Lu G
- Baumel A, Ainouche ML & Levasseur JE. Molecular investigations in populations of *Spartina anglica* C.E. Hubbard (Poaceae) invading coastal Brittany (France), 1689
- Bazzicalupo M see Mengoni A
- Beaulieu J see Jaramillo-Correa JP
- Beaumont MA, Barratt EM, Gottelli D, Kitchener AC, Daniels MJ, Pritchard JK & Bruford MW. Genetic diversity and introgression in the Scottish wildcat, 319
- Beheregaray LB & Sunnucks P. Fine-scale genetic structure, estuarine colonization and incipient speciation in the marine silverside fish *Odontesthes argentinensis*, 2849
- Beitia F see Moya A
- Belahbib N, Pemonge M-H, Ouassou A, Sbay H, Kremer A & Petit RJ. Frequent cytoplasmic exchanges between oak species that are not closely related: *Quercus suber* and *Q. ilex* in Morocco, 2003
- Bellido A see Arnaud J-F
- Bentzen P see De Innocentis S
- Bergelson J see Winterer J
- Bermingham E see Sivasundar A
- Bernatchez L see Fraser DJ
- Bernatchez L see Landry C
- Bernatchez L see Lu G
- Bernatchez L see Potvin C
- Bernatchez L see Roques S
- Bernatchez L see Turgeon J
- Berrebi P see Aurelle D
- Berrebi P see Kotlik P
- Bidartondo MI & Bruns TD. Extreme specificity in epiparasitic Monotropeae (Ericaceae): widespread phylogenetic and geographical structure, 2285
- Bigler F see Raps A
- Bijlsma R see van der Velde M
- Birks JDS see Davison A
- Blaakmeer K see Richardson DS
- Black R see Pudovskis MS
- Bleeker W & Hurka H. Introgressive hybridization in *Rorippa* (Brassicaceae): gene flow and its consequences in natural and anthropogenic habitats, 2013
- Blouin MS see Hawdon JM
- Boag PT see Conrad KF
- Boesch C see Morin PA
- Bond JE, Hedin MC, Ramirez MG & Opell BD. Deep molecular divergence in the absence of morphological and ecological change in the Californian coastal dune endemic trapdoor spider *Apostichus sinus*, 899
- Bonizzoni M, Zheng L, Guglielmino CR, Haymer DS, Gasperi G, Gomulski LM & Malacrida AR. Microsatellite analysis of medfly bioinfestations in California, 2515
- Bonnin I, Ronfort J, Wozniak F & Olivieri I. Spatial effects and rare outcrossing events in *Medicago truncatula* (Fabaceae), 1371
- Boose DL see Friar EA
- Borge T see Sætre G-P
- Borowsky RL & Vidthayanon C. Nucleotide diversity in populations of balitorid cave fishes from Thailand, 2799
- Bos DH & Sites Jr, JW. Phylogeography and conservation genetics of the Columbia spotted frog (*Rana luteiventris*: Amphibia, Ranidae), 1499
- Bouck AC see Johnston JA

- Bourke AFG see Hammond RL
 Bousquet J see Jaramillo-Correa JP
 Bouza C, Castro J, Sánchez L & Martínez P. Allozymic evidence of parapatric differentiation of brown trout (*Salmo trutta* L.) within an Atlantic river basin of the Iberian Peninsula, 1455
 Bowers HA see Tengs T
 Bowman RJ see Redecker D
 Boyd IL see Gemmell NJ
 Boyle PR see Emery AM
 Bradbury RB see Lee PLM
 Brandl R see Auge H
 Briscoe DA see Stow AJ
 Britch SC, Cain ML & Howard DJ. Spatio-temporal dynamics of the *Alloemobius fasciatus*-*A. socius* mosaic hybrid zone: a 14-year perspective, 627
 Britton-Davidian J see Gündüz İ
 Brodbeck S see Brunner I
 Brookes RC see Davison A
 Brown RP, Suarez NM, Smith A & Pestano J. Phylogeography of Cape Verde Island skinks (*Mabuya*), 1593
 Browning TL see Eldridge MDB
 Bruford MW see Beaumont MA
 Bruford MW see Garnier JN
 Bruford MW see Hammond RL
 Bruford MW see Nichols RA
 Bruford MW see Pryor KV
 Brunner I, Brodbeck S, Büchler U & Sperisen C. Molecular identification of fine roots of trees from the Alps: reliable and fast DNA extraction and PCR-RFLP analyses of plastid DNA, 2079
 Bruns TD see Bidartondo MI
 Bruns TD see Horton TR
 Bruns TD see Redecker D
 Brykov VIA see Churikov D
 Bücheli E, Gautschi B & Shykoff JA. Differences in population structure of the anther smut fungus *Microbotryum violaceum* on two closely related host species, *Silene latifolia* and *S. dioica*, 285
 Büchler U see Brunner I
 Büchler U see Gugerli F
 Büchler U see Gugerli F
 Büchler U see Sperisen C
 Büchler U see Walser J-C
 Bull CM & Burzacott D. Temporal and spatial dynamics of a parapatric boundary between two Australian reptile ticks, 639
 Bull CM see Gardner MG
 Buonaccorsi VP, McDowell JR & Graves JE. Reconciling patterns of inter-ocean molecular variance from four classes of molecular markers in blue marlin (*Makaira nigricans*), 1179
 Burg TM & Croxall JP. Global relationships amongst black-browed and grey-headed albatrosses: analysis of population structure using mitochondrial DNA and microsatellites, 2647
 Burg TM see Gemmell NJ
 Burke T see Jehle R
 Burke T see Richardson DS
 Burland TM, Barratt EM, Nichols RA & Racey PA. Mating patterns, relatedness and the basis of natal philopatry in the brown-eared bat, *Plecotus auritus*, 1309
 Burzacott D see Bull CM
 Bush M see Uphyrkina O
 Butlin RK see Walton C
 Caicedo AL see Kover PX
 Cain ML see Britch SC
 Carbone I & Kohn LM. A microbial population-species interface: nested clades and coalescent inference with multilocus data, 947
 Carbone I & Kohn LM. Multilocus nested haplotype networks extended with DNA fingerprints show common origin and fine-scale, ongoing genetic divergence in a wild microbial metapopulation, 2409
 Cariou M-L, Silvain J-F, Daubin V, Da Lage J-L & Lachaise D. Divergence between *Drosophila santomea* and allopatric or sympatric populations of *D. yakuba* using paralogous amylase genes and migration scenarios along the Cameroon volcanic line, 649
 Carmichael LE, Nagy JA, Larter NC & Strobeck C. Prey specialization may influence patterns of gene flow in wolves of the Canadian Northwest, 2787
 Cartier E see Larson SR
 Case TJ see Tsutsui ND
 Castro J see Bouza C
 Catalan J see Gündüz İ
 Cataudella S see De Innocentiis S
 Cenis JL see Moya A
 Chambers KE see Morin PA
 Chen YJ see Chiang TY
 Chiang TY see Huang S
 Chiang TY, Chiang YC, Chen YJ, Chou CH, Havanond S, Hong TN & Huang S. Phylogeography of *Kandelia candel* in East Asiatic mangroves based on nucleotide variation of chloroplast and mitochondrial DNAs, 2697
 Chiang YC see Chiang TY
 Chiang YC see Huang S
 Chiba S see Watanabe Y
 Chikhi L see Goossens B
 Chou CH see Chiang TY
 Chou CH see Huang S
 Chou W-H see Creer S
 Churikov D, Matsuoka M, Luan X, Gray AK, Brykov VIA & Gharrett AJ. Assessment of concordance among genealogical reconstructions from various mtDNA segments in three species of Pacific salmon (genus *Oncorhynchus*), 2329
 Cifuentes D see Moya A
 Clark AJ see Schuler TH
 Clark SJ see Schuler TH
 Clarke KE, Oldroyd BP, Quezada-Euán JGG & Rinderer TE. Origin of honeybees (*Apis mellifera* L.) from the Yucatan peninsula inferred from mitochondrial DNA analysis, 1347
 Close RL see Eldridge MDB
 Clout MN see Ji W
 Coetzee MPA, Wingfield BD, Harrington TC, Steimel J, Coutinho TA & Wingfield MJ. The root rot fungus *Armillaria mellea* introduced into South Africa by early Dutch settlers, 387
 Collevatti RG, Grattapaglia D & Hay JD. Population genetic structure of the endangered tropical tree species *Caryocarpus brasiliense*, based on variability at microsatellite loci, 349
 Collin R. The effects of mode of development on phylogeography and population structure of North Atlantic *Crepidula* (Gastropoda: Calyptraeidae), 2249
 Collins FH see Walton C
 Congiu L, Dupanloup I, Patarnello T, Fontana F, Rossi R, Arlati G & Zane L. Identification of interspecific hybrids by amplified fragment length polymorphism: the case of sturgeon, 2355

- Conn JE see Onyabe DY
- Conrad KF, Johnston PV, Crossman C, Kempnaers B, Robertson RJ, Wheelwright NT & Boag PT. High levels of extra-pair paternity in an isolated, low density, island population of tree swallows (*Tachycineta bicolor*), 1301
- Constable JL, Ashley MV, Goodall J & Pusey AE. Noninvasive paternity assignment in Gombe chimpanzees, 1279
- Cook JA see Demboski JR
- Cooley JR, Simon C, Marshall DC, Slon K & Ehrhardt C. Allochronic speciation, secondary contact, and reproductive character displacement in periodical cicadas (Hemiptera: *Magicicada* spp.): genetic, morphological, and behavioural evidence, 661
- Cooper SJB see Gardner MG
- Coppin P see Michels E
- Cottenie K see Michels E
- Coutellec-Vreto MA see Guiller A
- Coutinho TA see Coetzee MPA
- Cox AJ & Hebert PDN. Colonization, extinction, and phylogeographic patterning in a freshwater crustacean, 371
- Craig S see Emery AM
- Crawshaw Jr, PG see Eizirik E
- Creel S see Gorman DJ
- Creer S, Malhotra A, Thorpe RS & Chou W-H. Multiple causation of phylogeographical pattern as revealed by nested clade analysis of the bamboo viper (*Trimeresurus stejnegeri*) within Taiwan, 1967
- Cresswell A, Sackville Hamilton NR, Roy AK & Viegas BMF. Use of amplified fragment length polymorphism markers to assess genetic diversity of *Lolium* species from Portugal, 229
- Crossman C see Conrad KF
- Croxall JP see Burg TM
- Crozier RH see Goodisman MAD
- Crozier RH see Tay WT
- Csóka G see Stone G
- Da Lage J-L see Cariou M-L
- Dabrowska KA see Stepien CA
- Dahlberg A see Johannesson H
- Daniels MJ see Beaumont MA
- Danley PD & Kocher TD. Speciation in rapidly diverging systems: lessons from Lake Malawi: Invited Review, 1075
- Daubin V see Cariou M-L
- Davis LM, Glenn TC, Elsey RM, Dessauer HC & Sawyer RH. Multiple paternity and mating patterns in the American alligator, *Alligator mississippiensis*, 1011
- Davison A, Birks JDS, Brookes RC, Messenger JE & Griffiths HI. Mitochondrial phylogeography and population history of pine martens *Martes martes* compared with polecats *Mustela putorius*, 2479
- Dawson K see Green JM
- De Gelas K see Michels E
- De Innocentiis S, Sola L, Cataudella S & Bentzen P. Allozyme and microsatellite loci provide discordant estimates of population differentiation in the endangered dusky grouper (*Epinephelus marginatus*) within the Mediterranean Sea, 2163
- De la Rúa, P, Galian, J, Serrano J & Moritz RFA. Genetic structure and distinctness of *Apis mellifera* L. populations from the Canary Islands, 1733
- De Meester L see Michels E
- Debaud J-C see Guidot A
- Deesin V see Walton C
- Demboski JR & Cook JA. Phylogeography of the dusky shrew, *Sorex monticolus* (Insectivora, Soricidae): insight into deep and shallow history in northwestern North America, 1227
- Deng K see Noda H
- Denholm I see Schuler TH
- Deshpande AU, Apte GS, Bahulikar RA, Lagu MD, Kulkarni BG, Suresh HS, Singh NP, Rao MKV, Gupta VS, Pant A & Ranjekar PK. Genetic diversity across natural populations of three montane plant species from the Western Ghats, India revealed by intersimple sequence repeats, 2397
- Dessauer HC see Davis LM
- Destombe C see Meunier I
- Deunff J see Guiller A
- Díaz V, Muñiz LM & Ferrer E. Random amplified polymorphic DNA and amplified fragment length polymorphism assessment of genetic variation in Nicaraguan populations of *Pinus oocarpa*, 2593
- Dixon KW see Zawko G
- Dokuchaev NE see Ohdachi S
- Dolo G see Tripet F
- Donovan LA see Johnston JA
- Dove O see Nilsson J
- Duffield GA see Gardner MG
- Dupanloup I see Congiu L
- Durand P see Meunier C
- During HJ see van der Velde M
- Dyer D see Larson SR
- Dyer RJ & Sork VL. Pollen pool heterogeneity in shortleaf pine, *Pinus echinata* Mill., 859
- Eckerman CM see Pearse DE
- Edmonds S. Phylogeography of the intertidal copepod *Tigriopus californicus* reveals substantially reduced population differentiation at northern latitudes, 1743
- Edwards KJ see Pryor KV
- Ehrhardt C see Cooley JR
- Ehrich D, Jorde PE, Krebs CJ, Kenney AJ, Stacy JE & Stenseth NC. Spatial structure of lemming populations (*Dicrostonyx groenlandicus*) fluctuating in density, 481
- Eizirik E, Kim J-H, Menotti-Raymond M, Crawshaw Jr, PG, O'Brien SJ & Johnson WE. Phylogeography, population history and conservation genetics of jaguars (*Panthera onca*, Mammalia, Felidae), 65
- Eldridge MDB, Browning TL & Close RL. Provenance of a New Zealand brush-tailed rock-wallaby (*Petrogale penicillata*) population determined by mitochondrial DNA sequence analysis, 2561
- Eldridge MDB, Kinnear JE & Onus ML. Source population of dispersing rock-wallabies (*Petrogale lateralis*) identified by assignment tests on multilocus genotypic data, 2867
- Elias M, Penet L, Vindry P, McKey D, Panaud O & Robert T. Unmanaged sexual reproduction and the dynamics of genetic diversity of a vegetatively propagated crop plant, cassava (*Manihot esculenta* Crantz), in a traditional farming system, 1895
- Ellegren H see Sætre G-P
- Ellegren H see Sundqvist A-K
- Ellegren H see Walker CW
- Elsey RM see Davis LM
- Emerson BC see Rees DJ
- Emery AM, Wilson IJ, Craig S, Boyle PR & Noble LR. Assignment of paternity groups without access to parental genotypes: multiple mating and developmental plasticity in squid, 1265
- Epperson BK see Walter R

- Eriksson L-O see Vasemägi A
 Erlinghagen F see Auge H
 Estoup A see Paxton RJ
 Estoup A see Sumner J
- Fagerström T see Stenström A
 Feldheim KA, Gruber SH & Ashley MV. Population genetic structure of the lemon shark (*Negaprion brevirostris*) in the western Atlantic: DNA microsatellite variation, 295
 Ferguson A see McMeel OM
 Ferrer E see Díaz V
 Fischer M see Müller-Schärer H
 Flanagan NS see Lee PLM
 Fontana F see Congiu L
 Ford-Lloyd BV see Sawkins MC
 Foster KR, Ratnieks FLW, Gyllenstrand N & Thorén PA. Colony kin structure and male production in *Dolichovespula* wasps, 1003
 Frascaria-Lacoste N see Heuertz M
 Fraser DJ & Bernatchez L. Adaptive evolutionary conservation: towards a unified concept for defining conservation units: Invited Review, 2741
 Freville H, Justy F & Olivieri I. Comparative allozyme and microsatellite population structure in a narrow endemic plant species, *Centaurea corymbosa* Pourret (Asteraceae), 879
 Friar EA, Boose DL, LaDoux T, Roalson EH & Robichaux RH. Population structure in the endangered Mauna Loa silversword, *Argyroxiphium kauense* (Asteraceae), and its bearing on reintroduction, 1657
 Froud-Williams RJ see Green JM
- Gabbrielli R see Mengoni A
 Galardi F see Mengoni A
 Galbusera P see Van de Castele T
 Galian J see De la Rúa P
 Ganem G see Gündüz İ
 Gardner MG see Stow AJ
 Gardner MG, Bull CM, Cooper SJB & Duffield GA. Genetic evidence for a family structure in stable social aggregations of the Australian lizard *Egernia stokesii*, 175
 Garnier JN, Bruford MW & Goossens B. Mating system and reproductive skew in the black rhinoceros, 2031
 Garza JC & Williamson EG. Detection of reduction in population size using data from microsatellite loci, 305
 Gasperi G see Bonizzoni M
 Gasperi G see Sebastiani F
 Gautschi B see Bucheli E
 Geburek T see Gugerli F
 Geburek T see Sperisen C
 Geffen E see Girman DJ
 Gemmell NJ, Burg TM, Boyd IL & Amos W. Low reproductive success in territorial male Antarctic fur seals (*Arctocephalus gazella*) suggests the existence of alternative mating strategies, 451
 Gerlach G & Hoeck HN. Islands on the plains: metapopulation dynamics and female biased dispersal in hyraxes (*Hyracoiden*) in the Serengeti National Park, 2307
 Gharrett AJ see Churikov D
 Giannasi N, Thorpe RS & Malhotra A. The use of amplified fragment length polymorphism in determining species trees at fine taxonomic levels: analysis of a medically important snake, *Trimeresurus albolabris*, 419
 Gibbs HL see Schulte-Hostedde AI
 Gibson RM see Semple KE
- Ginsberg J see Girman DJ
 Girman DJ, Vilà C, Geffen E, Creel S, Mills MGL, McNutt JW, Ginsberg J, Kat PW, Mamiya KH & Wayne RK. Patterns of population subdivision, gene flow and genetic variability in the African wild dog (*Lycaon pictus*), 1703
 Gittenberger E see Schilthuizen M
 Gleason JM see Ritchie MG
 Glenn TC see Davis LM
 Glenn TC see Plague GR
 Glor RE, Vitt LJ & Larson A. A molecular phylogenetic analysis of diversification in Amazonian *Anolis* lizards, 2661
 Godoy JA & Jordano P. Seed dispersal by animals: exact identification of source trees with endocarp DNA microsatellites, 2275
 Goka K, Okabe K, Yoneda M & Niwa S. Bumblebee commercialization will cause worldwide migration of parasitic mites, 2095
 Gomulski LM see Bonizzoni M
 Gomulski LM see Sebastiani F
 Gonnelli C see Mengoni A
 Good JM & Sullivan J. Phylogeography of the red-tailed chipmunk (*Tamias ruficaudus*), a northern Rocky Mountain endemic, 2683
 Goodall J see Constable JL
 Goodall RNP see Pichler FB
 Goodisman MAD, Matthews RW & Crozier RH. Hierarchical genetic structure of the introduced wasp *Vespula germanica* in Australia, 1423
 Goodman SJ, Tamate HB, Wilson R, Nagata J, Tatsuzawa S, Swanson GM, Pemberton JM & McCullough DR. Bottlenecks, drift and differentiation: the population structure and demographic history of sika deer (*Cervus nippon*) in the Japanese archipelago, 1357
 Goossens B see Garnier JN
 Goossens B, Chikhi L, Taberlet P, Waits LP & Allainé D. Microsatellite analysis of genetic variation among and within Alpine marmot populations in the French Alps, 41
 Gordon DM see Okada S
 Goropashnaya AV, Seppä P & Pamilo P. Social and genetic characteristics of geographically isolated populations in the ant *Formica cinerea*, 2807
 Gottelli D see Beaumont MA
 Grattapaglia D see Collevatti RG
 Graves JE see Buonaccorsi VP
 Gray AK see Churikov D
 Green JM, Barker JHA, Marshall EJP, Froud-Williams RJ, Peters NCB, Arnold GM, Dawson K & Karp A. Microsatellite analysis of the inbreeding grass weed *Barren Brome* (*Anisantha sterilis*) reveals genetic diversity at the within- and between-farm scales, 1035
 Griffiths HI see Davison A
 Groombridge JJ see Nichols RA
 Gross R see Nilsson J
 Gross R see Vasemägi A
 Grossenbacher K see Riberon A
 Gruber SH see Feldheim KA
 Grupe R see Auge H
 Guarnera RA see Stepien CA
 Gugerli F see Sperisen C
 Gugerli F, Senn J, Anzidei M, Madaghie A, Böhler U, Sperisen C & Vendramin GG. Chloroplast microsatellites and mitochondrial *nad1* intron 2 sequences indicate congruent phylogenetic relationships among Swiss stone pine (*Pinus cembra*), Siberian stone pine (*Pinus sibirica*), and dwarf pine (*Pinus pumila*), 1489

- Gugerli F, Sperisen C, B  chler U, Magni F, Geburek T, Jeandroz S & Senn J. Haplotype variation in a mitochondrial tandem repeat of Norway spruce (*Picea abies*) populations suggests a serious founder effect during postglacial re-colonization of the western Alps, 1255
- Gugerli P see Raps A
- Guglielmino CR see Bonizzoni M
- Guglielmino CR see Sebastiani F
- Guidot A, Debaud J-C & Marmeisse R. Correspondence between genet diversity and spatial distribution of above- and below-ground populations of the ectomycorrhizal fungus *Hebeloma cylindrosporum*, 1121
- Guiller A see Arnaud J-F
- Guiller A, Coutellec-Vreto MA, Madec L & Deunff J. Evolutionary history of the land snail *Helix aspersa* in the Western Mediterranean: preliminary results inferred from mitochondrial DNA sequences, 81
- Guirao P see Moya A
- G  nd  z   , Auffray J-C, Britton-Davidian J, Catalan J, Ganem G, Ramalhinho MG, Mathias ML & Searle JB. Molecular studies on the colonization of the Madeiran archipelago by house mice, 2023
- Gupta VS see Deshpande AU
- Gustavsson BA see Persson HA
- Gutierrez-Espeleta GA see Hedrick PW
- Gyllenstrand N see Foster KR
- Haavie J see S  tre G-P
- Hammond RL, Bourke AFG & Bruford MW. Mating frequency and mating system of the polygynous ant, *Leptothorax acervorum*, 2719
- Handley JM see Walton C
- Hankin RKS see Ji W
- Hansen MM see Ruzzante DE
- Hantula J see M  ller MM
- Harbach RE see Walton C
- Harley EH see Whitehouse AM
- Harrington TC see Coetzee MPA
- Harrison RG see Mandel MJ
- Hartfield PD see Roe KJ
- Harwood JD, Phillips SW, Sunderland KD & Symondson WOC. Secondary predation: quantification of food chain errors in an aphid-spider-carabid system using monoclonal antibodies, 2049
- Hasegawa M see Ohdachi S
- Hauffe HC see P  l  k J
- Hausman J-F see Heuertz M
- Havanond S see Chiang TY
- Hawdon JM, Li T, Zhan B & Blouin MS. Genetic structure of populations of the human hookworm, *Necator americanus*, in China, 1433
- Hay DW see Taggart JB
- Hay JD see Collevatti RG
- Haydock J, Koenig WD & Stanback MT. Shared parentage and incest avoidance in the cooperatively breeding acorn woodpecker, 1515
- Haymer DS see Bonizzoni M
- Hebert PDN see Cox AJ
- Hedin MC see Bond JE
- Hedrick PW, Gutierrez-Espeleta GA & Lee RN. Founder effect in an island population of bighorn sheep, 851
- Hedrick PW, Parker KM & Lee RN. Using microsatellite and MHC variation to identify species, ESUs and MUs in the endangered Sonoran topminnow, 1399
- Heimpel GE see Hoogendoorn M
- Helbig AJ see Liebers D
- Henshaw MT, Strassmann JE & Queller DC. Swarm-founding in the polistine wasps: the importance of finding many microsatellite loci in studies of adaptation, 185
- Herrera LG see Richman AD
- Heuertz M, Hausman J-F, Tsvetkov I, Frascaria-Lacoste N & Vekemans X. Assessment of genetic structure within and among Bulgarian populations of the common ash (*Fraxinus excelsior* L.), 1615
- Hewitt GM see Rees DJ
- Hewitt GM see Seddon JM
- Hewitt GM. Speciation, hybrid zones and phylogeography – or seeing genes in space and time, 537
- Hilbeck A see Raps A
- Hildrew AG see Wilcock HR
- Hinten G see V  zquez-Dom  nguez E
- H  dl W see Jehle R
- Hoeck HN see Gerlach G
- Hoekstra RF see Schilthuizen M
- Hoelzel AR see van der Walt JM
- Hoey EM see McMeel OM
- Holway DA see Tsutsui ND
- Hong TN see Chiang TY
- Hoogendoorn M & Heimpel GE. PCR-based gut content analysis of insect predators: using ribosomal ITS-1 fragments from prey to estimate predation frequency, 2059
- Horton TR & Bruns TD. The molecular revolution in ectomycorrhizal ecology: peeking into the black-box: Invited Review, 1855
- Hoshizaki S see Noda H
- Howard DJ see Britch SC
- Huang S see Chiang TY
- Huang S, Chiang YC, Schaal BA, Chou CH & Chiang TY. Organelle DNA phylogeography of *Cycas taitungensis*, a relict species in Taiwan, 2669
- Huang S-W, Ardlie KG & Yu H-T. Frequency and distribution of *t*-haplotypes in the Southeast Asian house mouse (*Mus musculus castaneus*) in Taiwan, 2349
- Hughes JM see Hurwood DA
- Hurka H see Bleeker W
- Hurles ME & Jobling MA. Haploid chromosomes in molecular ecology: lessons from the human Y: Invited Review, 1599
- Hurtrez-Bouss  s S see Meunier C
- Hurwood DA & Hughes JM. Nested clade analysis of the freshwater shrimp, *Caridina zebra* (Decapoda: Atyidae), from north-eastern Australia, 113
- Ibrahim KM. Plague dynamics and population genetics of the desert locust: can turnover during recession maintain population genetic structure?, 581
- Isagi Y see Kameyama Y
- Ishikawa R see Sota T
- James TY & Vilgalys R. Abundance and diversity of *Schizophyllum commune* spore clouds in the Caribbean detected by selective sampling, 471
- Jansson H see Nilsson J
- Janzen FJ see Pearse DE
- Jaramillo-Correa JP, Beaulieu J & Bousquet J. Contrasting evolutionary forces driving population structure at expressed sequence tag polymorphisms, allozymes and quantitative traits in white spruce, 2729

- Jeandroz S see Gugerli F
- Jehle R, Arntzen JW, Burke T, Krupa AP & Hödl W. The annual number of breeding adults and the effective population size of syntopic newts (*Triturus cristatus*, *T. marmoratus*), 839
- Jensen-Seaman MI & Kidd KK. Mitochondrial DNA variation and biogeography of eastern gorillas, 2241
- Ji W, Sarre SD, Aitken N, Hankin RKS & Clout MN. Sex-biased dispersal and a density-independent mating system in the Australian brushtail possum, as revealed by minisatellite DNA profiling, 1527
- Jobling MA see Hurles ME
- Johannesson H, Vasiliauskas R, Dahlberg A, Penttillä R & Stenlid J. Genetic differentiation in Eurasian populations of the postfire ascomycete *Daldinia loculata*, 1665
- Johnsen A see Sætre G-P
- Johnson MS see Pudovskis MS
- Johnson WE see Eizirik E
- Johnson WE see Uphyrkina O
- Johnston JA, Wesselingh RA, Bouck AC, Donovan LA & Arnold ML. Intimately linked or hardly speaking? The relationship between genotype and environmental gradients in a Louisiana Iris hybrid population, 673
- Johnston PV see Conrad KF
- Jones AG see McCoy EE
- Jones AG, Walker D, Lindström K, Kvarnemo C & Avise JC. Surprising similarity of sneaking rates and genetic mating patterns in two populations of the sand goby experiencing disparate sexual selection regimes, 461
- Jones HI see Sehgal RNM
- de Jong PW, de Vos H & Nielsen JK. Demic structure and its relation with the distribution of an adaptive trait in Danish flea beetles, 1323
- Jónsdóttir IS see Stenström A
- Jonsson BO see Stenström A
- Jordano P see Godoy JA
- Jorde PE see Ehrich D
- Jorde PE see Ryman N
- Joshi CP see Vucetich LM
- Jouanin L see Schuler TH
- Jourdane J see Meunier C
- Jungwirth M see Weiss S
- Jury FL see Richardson DS
- Justy F see Freville H
- Kalbe M see Reusch TBH
- Kalinowski ST see King TL
- Kameyama Y, Isagi Y & Nakagoshi N. Patterns and levels of gene flow in *Rhododendron metternichii* var. *hondoense* revealed by microsatellite analysis, 205
- Kangur M see Vasemägi A
- Karp A see Green JM
- Kat PW see Girman DJ
- Kehr J see Raps A
- Keim P see Young WP
- Kelloniemi J see Nilsson J
- Kelt DA see Smith MF
- Kempnaers B see Conrad KF
- Kenney AJ see Ehrich D
- Kerry KR see Roeder AD
- Kidd DM see Ritchie MG
- Kidd KK see Jensen-Seaman MI
- Kim J-H see Eizirik E
- Kim S-C & Rieseberg LH. The contribution of epistasis to species differences in annual sunflowers, 683
- King TL, Kalinowski ST, Schill WB, Spidal AP & Lubinski BA. Population structure of Atlantic salmon (*Salmo salar* L.): a range-wide perspective from microsatellite DNA variation, 807
- Kinnear JE see Eldridge MDB
- Kitchener AC see Beaumont MA
- Kjoller R see Kristiansen KA
- Knight ME see Turner GF
- de Knijff P see Liebers D
- Knowles LL. Did the pleistocene glaciations promote divergence? Tests of explicit refugial models in montane grasshoppers, 691
- Kocher T see Schliewen U
- Kocher TD see Danley PD
- Koenig WD see Haydock J
- Kohlmann K see Nilsson J
- Kohn LM see Carbone I
- Kohn LM see Carbone I
- Komdeur J see Richardson DS
- Kontula T & Väinölä R. Postglacial colonization of Northern Europe by distinct phylogeographic lineages of the bullhead, *Cottus gobio*, 1983
- Koop BF see Smith CT
- Kosier B see Zhang X-X
- Kotlík P & Berrebi P. Phylogeography of the barbel (*Barbus barbus*) assessed by mitochondrial DNA variation, 2177
- Kover PX & Caicedo AL. The genetic architecture of disease resistance in plants and the maintenance of recombination by parasites: Invited Review, 1
- Krauss SL see Zawko G
- Krebs CJ see Ehrich D
- Krebs JR see Lee PLM
- Kremer A see Belahbib N
- Kristiansen KA, Taylor DL, Kjoller R, Rasmussen HN & Rosendahl S. Identification of mycorrhizal fungi from single pelotons of *Dactylorhiza majalis* (Orchidaceae) using single-strand conformation polymorphism and mitochondrial ribosomal large subunit DNA sequences, 2089
- Krupa AP see Jehle R
- Kuchta SR & Meyer D. A genealogical view of geographical variation, 2569
- Kulkarni BG see Deshpande AU
- Kusumoto F see Sota T
- Kvarnemo C see Jones AG
- Kyle CJ & Strobeck C. Genetic structure of North American wolverine (*Gulo gulo*) populations, 337
- Kyle CJ, Robitaille JF & Strobeck C. Genetic variation and structure of fisher (*Martes pennanti*) populations across North America, 2341
- La Terza A, Papa G, Miceli C & Luporini P. Divergence between two Antarctic species of the ciliate *Euplates*, *E. forcardii* and *E. nobilii*, in the expression of heat-shock protein 70 genes, 1061
- Lacerda DR, Acedo MDP, Lemos Filho JP & Lovato MB. Genetic diversity and structure of natural populations of *Plathymenia reticulata* (Mimosoideae), a tropical tree from the Brazilian Cerrado, 1143
- Lachaise D see Cariou M-L

- LaDoux T see Friar EA
 Lagu MD see Deshpande AU
 Lambert DM see Roeder AD
 Landa A see Walker CW
 Landry C & Bernatchez L. Comparative analysis of population structure across environments and geographical scales at major histocompatibility complex and microsatellite loci in Atlantic salmon (*Salmo salar*), 2525
 Lanzaro GC see Tripet F
 Larson A see Glor RE
 Larson SR, Cartier E, McCracken CL & Dyer D. Mode of reproduction and amplified fragment length polymorphism variation in purple needlegrass (*Nassella pulchra*): utilization of natural germplasm sources, 1165
 Larter NC see Carmichael LE
 LeBas NR. Microsatellite determination of male reproductive success in a natural population of the territorial ornate dragon lizard, *Ctenophorus ornatus*, 193
 Lee PLM, Bradbury RB, Wilson JD, Flanagan NS, Richardson L, Perkins AJ & Krebs JR. Microsatellite variation in the yellow-hammer *Emberiza citrinella*: population structure of a declining farmland bird, 1633
 Lee RN see Hedrick PW
 Lee RN see Hedrick PW
 Lemos Filho JP see Lacerda DR
 Levasseur JE see Baumel A
 Li T see Hawdon JM
 Liebers D, Helbig AJ & de Knijff P. Genetic differentiation and phylogeography of gulls in the *Larus cachinnans-fuscus* group (Aves: Charadriiformes), 2447
 Lindell J see Sætre G-P
 Lindén M see Walker CW
 Lindström K see Jones AG
 Loeschcke V see Pedersen AA
 Lovato MB see Lacerda DR
 Love DR see Roeder AD
 Löytynoja A see Nilsson J
 Lu G, Basley DJ & Bernatchez L. Contrasting patterns of mitochondrial DNA and microsatellite introgressive hybridization between lineages of lake whitefish (*Coregonus clupeaformis*); relevance for speciation, 965
 Luan X see Churikov D
 Lubinski BA see King TL
 Lugo E see Shaw KL
 Luikart G see Waits LP
 Lumme J see Nilsson J
 Luporini P see La Terza A
 Lutz RA see O'Mullan GD
 Lydeard C see Roe KJ
 Maas PAY see O'Mullan GD
 Maass BL see Sawkins MC
 Madaghiele A see Gugerli F
 Madec L see Arnaud J-F
 Madec L see Guillier A
 Maggs CA see Mclvor L
 Magni F see Gugerli F
 Magnin F see Pfenninger M
 Malacrida AR see Bonizzoni M
 Malacrida AR see Sebastiani F
 Maldonado JE, Vilà C & Wayne RK. Tripartite genetic subdivisions in the ornate shrew (*Sorex ornatus*), 127
 Malhotra A see Creer S
 Malhotra A see Giannasi N
 Mamiya KH see Girman DJ
 Mandel MJ, Ross CL & Harrison RG. Do *Wolbachia* infections play a role in unidirectional incompatibilities in a field cricket hybrid zone?, 703
 Manninen O see Turpeinen T
 Mardulyn P. Phylogeography of the Vosges Mountains populations of *Gonioctena pallida* (Coleoptera: Chrysomelidae): a nested clade analysis of mitochondrial DNA haplotypes, 1751
 Marker L see Uphyrkina O
 Markert J see Schliewen U
 Markmann M see Schliewen U
 Markow TA see Pfeiler E
 Marmesse R see Guidot A
 Marshall DC see Cooley JR
 Marshall EJP see Green JM
 Marshall JC & Sites Jr, JW. A comparison of nuclear and mitochondrial cline shapes in a hybrid zone in the *Sceloporus grammicus* complex (Squamata; Phrynosomatidae), 435
 Marshall RK see Roeder AD
 Martínez P see Bouza C
 Mas-Coma S see Meunier C
 Masuda R see Ohdachi S
 Mathias ML see Gündüz İ
 Matsuoka M see Churikov D
 Matthews RW see Goodisman MAD
 Matthysen E see Van de Castele T
 Mátyás G see Sperisen C
 Maxted N see Sawkins MC
 Mayden RL see Near TJ
 McArthur J V see Plague GR
 McBee K see Pfau RS
 McCoy EE, Jones AG & Avise JC. The genetic mating system and tests for cuckoldry in a pipefish species in which males fertilize eggs and brood offspring externally, 1793
 McCracken CL see Larson SR
 McCullough DR see Goodman SJ
 McDowell JR see Buonaccorsi VP
 Mclvor L, Maggs CA, Provan J & Stanhope MJ. *rbcL* sequences reveal multiple cryptic introductions of the Japanese red alga *Polysiphonia harveyi*, 911
 McKey D see Elias M
 McLaren IS see Taggart JB
 McMeel OM, Hoey EM & Ferguson A. Partial nucleotide sequences, and routine typing by polymerase chain reaction-restriction fragment length polymorphism, of the brown trout (*Salmo trutta*) lactate dehydrogenase, LDH-C1*90 and *100 alleles, 29
 McNutt JW see Girman DJ
 McPartlan HC see Roeder AD
 Meiswinkel R see Sebastiani F
 Meldrup D see Ruzzante DE
 Mellor PS see Sebastiani F
 Mengoni A, Barabesi C, Gonnelli C, Galardi F, Gabbriellini R & Bazzicalupo M. Genetic diversity of heavy metal-tolerant populations in *Silene paradoxa* L. (Caryophyllaceae): a chloroplast microsatellite analysis, 1909
 Menotti-Raymond M see Eizirik E
 Messenger JE see Davison A
 Meunier C, Tirard C, Hurtrez-Boussès S, Durand P, Bargues MD, Mas-Coma S, Pointier JP, Jourdan J & Renaud F. Lack of

- molluscan host diversity and the transmission of an emerging parasitic disease in Bolivia, 1333
- Meusnier I, Olsen JL, Stam WT, Destombe C & Valero M.** Phylogenetic analyses of *Caulerpa taxifolia* (Chlorophyta) and of its associated bacterial microflora provide clues to the origin of the Mediterranean introduction, 931
- Meyer A** see **Rüber L**
- Meyer D** see **Kuchta SR**
- Meÿer MA** see **Pichler FB**
- Miaud C** see **Riberon A**
- Miceli C** see **La Terza A**
- Michels E, Cottenie K, Neys L, De Gelas K, Coppin P & De Meester L.** Geographical and genetic distances among zooplankton populations in a set of interconnected ponds: a plea for using GIS modelling of the effective geographical distance, 1929
- Millar JS** see **Schulte-Hostedde AI**
- Mills MGL** see **Girman DJ**
- Miquelle D** see **Uphyrkina O**
- Mitchelson AJ** see **Roeder AD**
- Miyoshi T** see **Noda H**
- Moar WJ** see **Raps A**
- Moran NA** see **Sandström JP**
- Morin PA, Chambers KE, Boesch C & Vigilant L.** Quantitative polymerase chain reaction analysis of DNA from noninvasive samples for accurate microsatellite genotyping of wild chimpanzees (*Pan troglodytes verus*), 1835
- Moritz C** see **Sumner J**
- Moritz C** see **Vázquez-Domínguez E**
- Moritz RFA** see **De la Rúa P**
- Morton B** see **Stepien CA**
- Moum T & Arnason E.** Genetic diversity and population history of two related seabird species based on mitochondrial DNA control region sequences, 2463
- Moum T** see **Sætre G-P**
- Moya A, Guirao P, Cifuentes D, Beitia F & Cenis JL.** Genetic diversity of Iberian populations of *Bemisia tabaci* (Hemiptera: Aleyrodidae) based on random amplified polymorphic DNA-polymerase chain reaction, 891
- Muller MH, Prosperi JM, Santoni S & Ronfort J.** How mitochondrial DNA diversity can help to understand the dynamics of wild-cultivated complexes. The case of *Medicago sativa* in Spain, 2753
- Müller MM, Valjakka R, Suokko A & Hantula J.** Diversity of endophytic fungi of single Norway spruce needles and their role as pioneer decomposers, 1801
- Müller-Schärer H & Fischer M.** Genetic structure of the annual weed *Senecio vulgaris* in relation to habitat type and population size, 17
- Mulvey M** see **Plague GR**
- Muñiz LM** see **Díaz V**
- Murray ND** see **Roeder AD**
- Nachman MW** see **Riginos C**
- Nagata J** see **Goodman SJ**
- Nagy JA** see **Carmichael LE**
- Nakagoshi N** see **Kameyama Y**
- Nash D** see **Richman AD**
- Near TJ, Page LM & Mayden RL.** Intraspecific phylogeography of *Percina evides* (Percidae: Etheostomatinae): an additional test of the Central Highlands pre-Pleistocene vicariance hypothesis, 2235
- Nel LH** see **van der Walt JM**
- Nelson RJ** see **Smith CT**
- Neraas LP & Spruell P.** Fragmentation of riverine systems: the genetic effects of dams on bull trout (*Salvelinus confluentus*) in the Clark Fork River system, 1153
- Nersting LG & Arctander P.** Phylogeography and conservation of impala and greater kudu, 711
- Neuffer B** see **Auge H**
- Nevo E** see **Turpeinen T**
- Newbury HJ** see **Sawkins MC**
- Newman RA & Squire T.** Microsatellite variation and fine-scale population structure in the wood frog (*Rana sylvatica*), 1087
- Neys L** see **Michels E**
- Nichols RA** see **Burland TM**
- Nichols RA** see **Wilcock HR**
- Nichols RA, Bruford MW & Groombridge JJ.** Sustaining genetic variation in a small population: evidence from the Mauritius kestrel, 593
- Nielsen EE** see **Nilsson J**
- Nielsen JK** see **de Jong PW**
- Nieves-Aldrey J-L** see **Stone G**
- Nilsson J** see **Vasemägi A**
- Nilsson J, Gross R, Asplund T, Dove O, Jansson H, Kelloniemi J, Kohlmann K, Löytynoja A, Nielsen EE, Paaver T, Primmer CR, Titov S, Vasemägi A, Veselov A, Öst T & Lumme J.** Matrilinear phylogeography of Atlantic salmon (*Salmo salar* L.) in Europe and postglacial colonization of the Baltic Sea area, 89
- Nissilä E** see **Turpeinen T**
- Niwa S** see **Goka K**
- Noble LR** see **Emery AM**
- Noda H, Miyoshi T, Zhang Q, Watanabe K, Deng K & Hoshizaki S.** *Wolbachia* infection shared among planthoppers (Homoptera: Delphacidae) and their endoparasites (Strepsiptera: Elenchidae): a probable case of interspecies transmission, 2101
- Norris DE** see **Tripet F**
- O'Brien SJ** see **Eizirik E**
- O'Brien SJ** see **Uphyrkina O**
- Ohdachi S, Dokuchaev NE, Hasegawa M & Masuda R.** Intraspecific phylogeny and geographical variation of six species of northeastern Asiatic *Sorex* shrews based on the mitochondrial cytochrome *b* sequences, 2199
- Okabe K** see **Goka K**
- Okada S & Gordon DM.** Host and geographical factors influence the thermal niche of enteric bacteria isolated from native Australian mammals, 2499
- Oldach DW** see **Tengs T**
- Oldroyd BP** see **Clarke KE**
- Olivarria C** see **Pichler FB**
- Olivier M** see **Sundqvist A-K**
- Olivieri I** see **Bonnin I**
- Olivieri I** see **Freville H**
- Olsen JL** see **Meusnier I**
- O'Mullan GD, Maas PAY, Lutz RA & Vrijenhoek RC.** A hybrid zone between hydrothermal vent mussels (Bivalvia: Mytilidae) from the Mid-Atlantic Ridge, 2819
- Onus ML** see **Eldridge MDB**
- Onyabe DY & Conn JE.** Population genetic structure of the malaria mosquito *Anopheles arabiensis* across Nigeria suggests range expansion, 2577


- Opell BD see Bond JE
 Oromí P see Rees DJ
 Orsini L see Procaccini G
 Ortí G see Sivasundar A
 Öst T see Nilsson J
 Ostberg CO see Young WP
 Ouassou A see Belahbib N
- Paaver T see Nilsson J
 Paaver T see Vasemägi A
 Paetkau D see Vázquez-Domínguez E
 Page LM see Near TJ
 Pakai TJ see Roeder AD
 Pamilo P see Goropashnaya AV
 Panaud O see Elias M
 Pant A see Deshpande AU
 Papa G see La Terza A
 Parker KM see Hedrick PW
 Parsons YM & Shaw KL. Species boundaries and genetic diversity among Hawaiian crickets of the genus *Laupala* identified using amplified fragment length polymorphism, 1765
 Patarnello T see Congiu L
 Patton JL see Smith MF
 Paxton RJ, Thorén P A, Estoup A & Tengö J. Queen-worker conflict over male production and the sex ratio in a facultatively polyandrous bumblebee, *Bombus hypnorum*: the consequences of nest usurpation, 2489
 Pearse DE, Eckerman CM, Janzen FJ & Avise JC. A genetic analogue of 'mark-recapture' methods for estimating population size: an approach based on molecular parentage assessments, 2711
 Pedersen AAA & Loeschcke V. Conservation genetics of peripheral populations of the mygalomorph spider *Atypus affinis* (Atypidae) in northern Europe, 1133
 Pellmyr O see Segraves KA
 Pemberton JM see Goodman SJ
 Pemonge M-H see Belahbib N
 Penet L see Elias M
 Pengelly BC see Sawkins MC
 Penttälä R see Johannesson H
 Perkins AJ see Lee PLM
 Persson HA & Gustavsson BA. The extent of clonality and genetic diversity in lingonberry (*Vaccinium vitis-idaea* L.) revealed by RAPDs and leaf-shape analysis, 1385
 Pestano J see Brown RP
 Peters NCB see Green JM
 Peterson RO see Vucetich LM
 Petit RJ see Belahbib N
 Pfau RS, Van Den Bussche RA & McBee K. Population genetics of the hispid cotton rat (*Sigmodon hispidus*): patterns of genetic diversity at the major histocompatibility complex, 1939
 Pfeiler E & Markow TA. Ecology and population genetics of Sonoran Desert *Drosophila*, 1787
 Pfenninger M & Magnin F. Phenotypic evolution and hidden speciation in *Candidula unifasciata* ssp. (Helicellinae, Gastropoda) inferred by 16S variation and quantitative shell traits, 2541
 Phillips SW see Harwood JD
 Piálek J, Hauffe HC, Rodríguez-Clark KM & Searle JB. Racialization and speciation in house mice from the Alps: the role of chromosomes, 613
 Pichler FB, Robineau D, Goodall RNP, Meyer MA, Olivarría C & Baker CS. Origin and radiation of Southern Hemisphere coastal dolphins (genus *Cephalorhynchus*), 2215
 Plague GR, Mulvey M, Glenn TC & McArthur JV. Molecular genetic markers provide no evidence for reproductive isolation among retreat building phenotypes of the net-spinning caddisfly *Macrostemum carolina*, 243
 Pointier JP see Meunier C
 Poppy GM see Schuler TH
 Potvin C & Bernatchez L. Lacustrine spatial distribution of landlocked Atlantic salmon populations assessed across generations by multi-locus individual assignment and mixed-stock analyses, 2375
 Prier UB see Zhang X-X
 Primmer CR see Nilsson J
 Primmer CR see Sætre G-P
 Pritchard JK see Beaumont MA
 Procaccini G, Orsini L, Ruggiero MV & Scardi M. Spatial patterns of genetic diversity in *Posidonia oceanica*, an endemic Mediterranean seagrass, 1413
 Proserpi JM see Muller MH
 Provan J see McIvor L
 Pryor KV, Young JE, Rumsey FJ, Edwards KJ, Bruford MW & Rogers HJ. Diversity, genetic structure and evidence of outcrossing in British populations of the rock fern *Adiantum capillus-veneris* using microsatellites, 1881
 Pudovskis MS, Johnson MS & Black R. Genetic divergence of peripherally disjunct populations of the gastropod *Batillariella estuarina* in the Houtman Abrolhos Islands, Western Australia, 2605
 Pusey AE see Constable JL
- Queller DC see Henshaw MT
 Quezada-Euán JJG see Clarke KE
 Quigley H see Uphyrkina O
- Racey PA see Burland TM
 Radja B see Stepien CA
 Radja T see Stepien CA
 Ramalhinho MG see Gündüz İ
 Ramirez MG see Bond JE
 Ranjekar PK see Deshpande AU
 Rao MKV see Deshpande AU
 Raps A, Kehr J, Gugerli P, Moar WJ, Bigler F & Hilbeck A. Immunological analysis of phloem sap of *Bacillus thuringiensis* corn and of the nontarget herbivore *Rhopalosiphum padi* (Homoptera: Aphididae) for presence of Cry1Ab, 525
 Rasmussen HN see Kristiansen KA
 Rassman K see Schliewen U
 Ratnieks FLW see Foster KR
 Redecker D, Szaro TM, Bowman RJ & Bruns TD. Small genets of *Lactarius xanthogalactus*, *Russula cremoricolor* and *Amanita francheti* in late-stage ectomycorrhizal successions, 1025
 Rees DJ, Emerson BC, Oromí P & Hewitt GM. Mitochondrial DNA, ecology and morphology: interpreting the phylogeography of the *Nesotes* (Coleoptera: Tenebrionidae) of Gran Canaria (Canary Islands), 427
 Reeve NJ see Seddon JM
 Reichow D & Smith MJ. Microsatellites reveal high levels of gene flow among populations of the California squid *Loligo opalescens*, 1101
 Renaud F see Meunier C

- Reusch TBH, Wegner KM & Kalbe M. Rapid genetic divergence in postglacial populations of threespine stickleback (*Gasterosteus aculeatus*): the role of habitat type, drainage, and geographical proximity, 2435
- Ribera I, Barraclough TG & Vogler AP. The effect of habitat type on speciation rates and range movements in aquatic beetles: inferences from species-level phylogenies, 721
- Riberon A, Miaud C, Grossenbacher K & Taberlet P. Phylogeography of the Alpine salamander, *Salamandra atra* (Salamandridae) and the influence of the Pleistocene climatic oscillations on population divergence, 2555
- Richardson DS, Jury FL, Blaakmeer K, Komdeur J & Burke T. Parentage assignment and extra-group paternity in a co-operative breeder: the Seychelles warbler (*Acrocephalus sechellensis*), 2263
- Richardson L see Lee PLM
- Richman AD, Herrera LG & Nash D. MHC class II beta sequence diversity in the deer mouse (*Peromyscus maniculatus*): implications for models of balancing selection, 2765
- Rieseberg LH see Kim S-C
- Riginos C & Nachman MW. Population subdivision in marine environments: the contributions of biogeography, geographical distance, and discontinuous habitat to genetic differentiation in a blennioid fish, *Axoclinus nigricaudus*, 1439
- Rinderer TE see Clarke KE
- Ritchie MG, Kidd DM & Gleason JM. Mitochondrial DNA variation and GIS analysis confirm a secondary origin of geographic variation in the bushcricket *Ephippiger ephippiger* (Orthoptera: Tettigoniidae), and resurrect two subspecies, 603
- Ritchie PA see Roeder AD
- Roalson EH see Friar EA
- Robert T see Elias M
- Robertson RJ see Conrad KF
- Robichaux RH see Friar EA
- Robineau D see Pichler FB
- Robinson NA see Roeder AD
- Robinson RL see Turner GF
- Robitaille JF see Kyle CJ
- Rodríguez-Clark KM see Piálék J
- Roe KJ, Hartfield PD & Lydeard C. Phylogeographic analysis of the threatened and endangered superconglutinate-producing mussels of the genus *Lampsilis* (Bivalvia: Unionidae), 2225
- Roeder AD, Marshall RK, Mitchelson AJ, Visagathilagar T, Ritchie PA, Love DR, Pakai TJ, McPartlan HC, Murray ND, Robinson NA, Kerry KR & Lambert DM. Gene flow on the ice: genetic differentiation among Adélie penguin colonies around Antarctica, 1645
- Rogers HJ see Pryor KV
- Rokas A see Stone G
- Ronfort J see Bonnin I
- Ronfort J see Muller MH
- Roques S, Sévigny J-M & Bernatchez L. Evidence for broadscale introgressive hybridization between two redfish (*genus Sebastes*) in the North-west Atlantic: a rare marine example, 149
- Rosendahl S see Kristiansen KA
- Roslin T. Spatial population structure in a patchily distributed beetle, 823
- Ross CL see Mandel MJ
- Ross KG. Molecular ecology of social behaviour: analyses of breeding systems and genetic structure: Invited Review, 265
- Rossi R see Congiu L
- Rousset F see Sumner J
- Roy AK see Cresswell A
- Rüber L, Meyer A, Sturmbauer C & Verheyen E. Population structure in two sympatric species of the Lake Tanganyika cichlid tribe Eretmodini: evidence for introgression, 1207
- Ruggiero MV see Procaccini G
- Rumsey FJ see Pryor KV
- Russell JA see Sandström JP
- Ruzzante DE, Hansen MM & Meldrup D. Distribution of individual inbreeding coefficients, relatedness and influence of stocking on native anadromous brown trout (*Salmo trutta*) population structure, 2107
- Ryman N & Jorde PE. Statistical power when testing for genetic differentiation, 2361
- Sackville Hamilton NR see Cresswell A
- Sætre G-P, Borge T, Lindell J, Moum T, Primmer CR, Sheldon BC, Haavie J, Johnsen A & Ellegren H. Speciation, introgressive hybridization and nonlinear rate of molecular evolution in flycatchers, 737
- Sánchez L see Bouza C
- Sandström JP, Russell JA, White JP & Moran NA. Independent origins and horizontal transfer of bacterial symbionts of aphids, 217
- Santoni S see Muller MH
- Santucci F see Seddon JM
- Sarre SD see Ji W
- Sawkins MC, Maass BL, Pengelly BC, Newbury HJ, Ford-Lloyd BV, Maxted N & Smith R. Geographical patterns of genetic variation in two species of *Stylosanthes* Sw. using amplified fragment length polymorphism, 1947
- Sawyer RH see Davis LM
- Sbay H see Belahbib N
- Scardi M see Procaccini G
- Schaal BA see Huang S
- Scheidegger C see Walser J-C
- Schill WB see King TL
- Schilthuisen M, Hoekstra RF & Gittenberger E. The 'rare allele phenomenon' in a ribosomal spacer, 1341
- Schliwen U, Rassman K, Markmann M, Markert J, Kocher T & Tautz D. Genetic and ecological divergence of a monophyletic cichlid species pair under fully sympatric conditions in Lake Ejagham, Cameroon, 1471
- Schlötterer C see Agis M
- Schlötterer C see Weiss S
- Schneller JJ see Stehlik I
- Schuler TH, Denholm I, Jouanin L, Clark SJ, Clark AJ & Poppy GM. Population-scale laboratory studies of the effect of transgenic plants on nontarget insects, 1845
- Schulte-Hostedde AI, Gibbs HL & Millar JS. Microgeographic genetic structure in the yellow-pine chipmunk (*Tamias amoenus*), 1625
- Searle JB see Gündüz İ
- Searle JB see Piálék J
- Sebastiani F, Meiswinkel R, Gomulski LM, Guglielmino CR, Mellor PS, Malacrida AR & Gasperi G. Molecular differentiation of the Old World *Culicoides imicola* species complex (Diptera, Ceratopogonidae), inferred using random amplified polymorphic DNA markers, 1773
- Seddon JM, Santucci F, Reeve NJ & Hewitt GM. DNA footprints of European hedgehogs, *Erinaceus europaeus* and *E. concolor*: Pleistocene refugia, postglacial expansion and colonization routes, 2187

- Seehausen O see Turner GF
- Segraves KA & Pellmyr O. Phylogeography of the yucca moth *Tegeticula maculata*: the role of historical biogeography in reconciling high genetic structure with limited speciation, 1247
- Sehgal, RNM Jones HI & Smith TB. Host specificity and incidence of *Trypanosoma* in some African rainforest birds: a molecular approach, 2319
- Semple KE, Wayne RK & Gibson RM. Microsatellite analysis of female mating behaviour in lek-breeding sage grouse, 2043
- Senn J see Gugerli F
- Senn J see Gugerli F
- Seppä P see Goropashnaya AV
- Serrano J see De la Rúa P
- Sévigny J-M see Roques S
- Shaw KL & Lugo E. Mating asymmetry and the direction of evolution in the Hawaiian cricket genus *Laupala*, 751
- Shaw KL see Parsons YM
- Sheldon BC see Sætre G-P
- Shykoff JA see Bucheli E
- Silvain J-F see Cariou M-L
- Simon C see Cooley JR
- Singh NP see Deshpande AU
- Sites Jr JW see Bos DH
- Sites Jr JW see Marshall JC
- Sivasithamparam K see Zawko G
- Sivasundar A, Bermingham E & Ortí G. Population structure and biogeography of migratory freshwater fishes (*Prochilodus*: Characiformes) in major South American rivers, 407
- Slon K see Cooley JR
- Smith A see Brown RP
- Smith CT, Nelson RJ, Wood CC & Koop BF. Glacial biogeography of North American coho salmon (*Oncorhynchus kisutch*), 2775
- Smith MF, Kelt DA & Patton JL. Testing models of diversification in mice in the *Abrothrix olivaceus/xanthorhinus* complex in Chile and Argentina, 397
- Smith MJ see Reichow D
- Smith R see Sawkins MC
- Smith TB see Sehgal RNM
- Sola I see De Innocentiis S
- Sork VL see Dyer RJ
- Sota T, Ishikawa R, Ujiie M, Kusumoto F & Vogler AP. Extensive trans-species mitochondrial polymorphisms in the carabid beetles *Carabus* subgenus *Ohomopterus* caused by repeated introgressive hybridization, 2833
- Sperisen C see Brunner I
- Sperisen C see Gugerli F
- Sperisen C see Gugerli F
- Sperisen C, Büchler U, Gugerli F, Mátyás G, Geburek T & Vendramin GG. Tandem repeats in plant mitochondrial genomes: application to the analysis of population differentiation in the conifer Norway spruce, 257
- Spidal AP see King TL
- Spruell P see Neraas LP
- Squire T see Newman RA
- Stacy JE see Ehrlich D
- Stam WT see Meusnier I
- Stanback MT see Haydock J
- Stanhope MJ see McIvor L
- Stehlik I, Schneller JJ & Bachmann K. Resistance or emigration: response of the high-alpine plant *Eritrichium nanum* (L.) Guadin to the ice age within the Central Alps, 357
- Steimel J see Coetzee MPA
- Stenlid J see Johannesson H
- Stenseth NC see Ehrlich D
- Stenström A, Jonsson BO, Jónsdóttir IS, Fagerström T & Augner M. Genetic variation and clonal diversity in four clonal sedges (*Carex*) along the Arctic coast of Eurasia, 497
- Stepien CA, Morton B, Dabrowska KA, Guarnera RA, Radja T & Radja B. Genetic diversity and evolutionary relationships of the troglodytic 'living fossil' *Congerius kusceri* (Bivalvia: Dreissenidae), 1873
- Stoecker DK see Tengs T
- Stone G, Atkinson R, Rokas A, Csóka G & Nieves-Aldrey J-L. Differential success in northwards range expansion between ecotypes of the marble gallwasp *Andricus kollari*: a tale of two lifecycles, 761
- Stow AJ, Sunnucks P, Briscoe DA & Gardner MG. The impact of habitat fragmentation on dispersal of Cunningham's skink (*Egernia cunninghami*): evidence from allelic and genotypic analyses of microsatellites, 867
- Strassmann JE see Henshaw MT
- Strobeck C see Carmichael LE
- Strobeck C see Kyle CJ
- Strobeck C see Kyle CJ
- Sturmhuber C see Rüber L
- Suarez AV see Tsutsui ND
- Suarez NM see Brown RP
- Sullivan J see Good JM
- Sumner J, Rousset F, Estoup A & Moritz C. 'Neighbourhood' size, dispersal and density estimates in the prickly forest skink (*Gnypetoscincus queenslandiae*) using individual genetic and demographic methods, 1917
- Sunderland KD see Harwood JD
- Sundqvist A-K, Ellegren H, Olivier M & Vilà C. Y chromosome haplotyping in Scandinavian wolves (*Canis lupus*) based on microsatellite markers, 1959
- Sunnucks P see Beheregaray LB
- Sunnucks P see Stow AJ
- Suokko A see Müller MM
- Suresh HS see Deshpande AU
- Swanson GM see Goodman SJ
- Symondson WOC see Harwood JD
- Szaro TM see Redecker D
- Taberlet P see Goossens B
- Taberlet P see Ribéron A
- Taberlet P see Waits LP
- Taggart JB, McLaren IS, Hay DW, Webb JH & Youngson AF. Spawning success in Atlantic salmon (*Salmo salar* L.): a long-term DNA profiling-based study conducted in a natural stream, 1047
- Tamate HB see Goodman SJ
- Tatsuzawa S see Goodman SJ
- Tautz D see Schlieven U
- Tay WT & Crozier RH. Mating behaviour of *Rhytidoponera* sp. 12 ants inferred from microsatellite analysis, 167
- Taylor CE see Tripet F
- Taylor DL see Kristiansen KA
- Templeton AR. Using phylogeographic analyses of gene trees to test species status and processes, 779
- Tengö J see Paxton RJ
- Tengs T, Bowers HA, Ziman AP, Stoecker DK & Oldach DW. Genetic polymorphism in *Gymnodinium galatheanum*

- chloroplast DNA sequences and development of a molecular detection assay, 515
- Tenhola T see Turpeinen T
- Thorén P A see Paxton RJ
- Thorén PA see Foster KR
- Thorgaard GH see Young WP
- Thorpe RS see Creer S
- Thorpe RS see Giannasi N
- Tirard C see Meunier C
- Titov S see Nilsson J
- Touré YT see Tripet F
- Tripet F, Touré YT, Taylor CE, Norris DE, Dolo G & Lanzaro GC. DNA analysis of transferred sperm reveals significant levels of gene flow between molecular forms of *Anopheles gambiae*, 1725
- Tsutsui ND, Suarez AV, Holway DA & Case TJ. Relationships among native and introduced populations of the Argentine ant (*Linepithema humile*) and the source of introduced populations, 2151
- Tsvetkov I see Heuertz M
- Tucker N see Vázquez-Domínguez E
- Turgeon J & Bernatchez L. Mitochondrial DNA phylogeography of lake cisco (*Coregonus artedii*): evidence supporting extensive secondary contacts between two glacial races, 987
- Turner GF, Seehausen O, Knight ME, Allender CJ & Robinson RL. How many species of cichlid fishes are there in African lakes?, 793
- Turpeinen T, Tenhola T, Manninen O, Nevo E & Nissilä E. Microsatellite diversity associated with ecological factors in *Hordeum spontaneum* populations in Israel, 1577
- Ujiié M see Sota T
- Uphyrkina O, Johnson WE, Quigley H, Miquelle D, Marker L, Bush M & O'Brien SJ. Phylogenetics, genome diversity and origin of modern leopard, *Panthera pardus*, 2617
- Väinölä R see Kontula T
- Valero M see Meunier I
- Valjakka R see Müller MM
- Van de Castele T, Galbusera P & Matthysen E. A comparison of microsatellite-based pairwise relatedness estimators, 1539
- Van Den Bussche RA see Pfau RS
- Vasemägi A see Nilsson J
- Vasemägi A, Gross R, Paaver T, Kangur M, Nilsson J & Eriksson L-O. Identification of the origin of Atlantic salmon (*Salmo salar* L.) population in a recently recolonized river in the Baltic Sea, 2877
- Vasiliauskas R see Johannesson H
- Vázquez-Domínguez E, Paetkau D, Tucker N, Hinten G & Moritz C. Resolution of natural groups using iterative assignment tests: an example from two species of Australian native rats (*Rattus*), 2069
- Vekemans X see Heuertz M
- van der Velde M, During HJ, van de Zande L & Bijlsma R. The reproductive biology of *Polytrichum formosum*: clonal structure and paternity revealed by microsatellites, 2423
- Vendramin GG see Gugerli F
- Vendramin GG see Sperisen C
- Verheyen E see Rüber L
- Veselov A see Nilsson J
- Vidhayanon C see Borowsky RL
- Viegas BMF see Cresswell A
- Vigilant L see Morin PA
- Vilà C see Girman DJ
- Vilà C see Maldonado JE
- Vilà C see Sundqvist A-K
- Vilà C see Walker CW
- Vilgalys R see James TY
- Vindry P see Elias M
- Visagathilagar T see Roeder AD
- Vitt LJ see Glor RE
- Vogler AP see Ribera I
- Vogler AP see Sota T
- de Vos H see de Jong PW
- Vrijenhoek RC see O'Mullan GD
- Vucetich JA see Vucetich LM
- Vucetich LM, Vucetich JA, Joshi CP, Waite TA & Peterson RO. Genetic (RAPD) diversity in *Peromyscus maniculatus* populations in a naturally fragmented landscape, 35
- Waidbacher H see Weiss S
- Waite TA see Vucetich LM
- Waits LP see Goossens B
- Waits LP, Luikart G & Taberlet P. Estimating the probability of identity among genotypes in natural populations: cautions and guidelines, 249
- Walker CW, Vilà C, Landa A, Lindén M & Ellegren H. Genetic variation and population structure in Scandinavian wolverine (*Gulo gulo*) populations, 53
- Walker D see Jones AG
- Walser J-C, Zoller S, Büchler U & Scheidegger C. Species-specific detection of *Lobaria pulmonaria* (lichenized ascomycete) diaspores in litter samples trapped in snow cover, 2129
- van der Walt JM, Nel LH & Hoelzel AR. Characterization of major histocompatibility complex DRB diversity in the endemic South African antelope *Damaliscus pygargus*: a comparison in two subspecies with different demographic histories, 1679
- Walter R & Epperson BK. Geographic pattern of genetic variation in *Pinus resinosa*: area of greatest diversity is not the origin of postglacial populations, 103
- Walton C, Handley JM, Collins FH, Baimai V, Harbach RE, Deesin V & Butlin RK. Genetic population structure and introgression in *Anopheles dirus* mosquitoes in South-east Asia, 569
- Watanabe K see Noda H
- Watanabe Y & Chiba S. High within-population mitochondrial DNA variation due to microvariance and population mixing in the land snail *Euhadra quaesita* (Pulmonata: Bradybaenidae), 2635
- Wayne RK see Girman DJ
- Wayne RK see Maldonado JE
- Wayne RK see Semple KE
- Webb JH see Taggart JB
- Wegner KM see Reusch TBH
- Weiss S, Schlötterer C, Waidbacher H & Jungwirth M. Haplotype (mtDNA) diversity of brown trout *Salmo trutta* in tributaries of the Austrian Danube: massive introgression of Atlantic basin fish – by man or nature? 1241
- Wennerberg L. Breeding origin and migration pattern of dunlin (*Calidris alpina*) revealed by mitochondrial DNA analysis, 1111
- Wesselingh RA see Johnston JA
- Wheelwright NT see Conrad KF
- White JP see Sandström JP
- Whitehouse AM & Harley EH. Post-bottleneck genetic diversity of elephant populations in South Africa, revealed using microsatellite analysis, 2139

- Wilcock HR, Hildrew AG & Nichols RA. Genetic differentiation of a European caddisfly: past and present gene flow among fragmented larval habitats, 1821
- Williamson EG see Garza JC
- Wilson IJ see Emery AM
- Wilson JD see Lee PLM
- Wilson R see Goodman SJ
- Wingfield BD see Coetzee MPA
- Wingfield MJ see Coetzee MPA
- Winterer J & Bergelson J. Diamondback moth compensatory consumption of protease inhibitor-transformed plants, 1069
- Wood CC see Smith CT
- Wozniak F see Bonnini I
- Yoneda M see Goka K
- Young JE see Pryor KV
- Young WP, Ostberg CO, Keim P & Thorgaard GH. Genetic characterization of hybridization and introgression between anadromous rainbow trout (*Oncorhynchus mykiss irideus*) and coastal cutthroat trout (*O. clarki clarki*), 921
- Youngson AF see Taggart JB
- Yu H-T see Huang S-W
- van de Zande L see van der Velde M
- Zane L see Congiu L
- Zawko G, Krauss SL, Dixon KW & Sivasithamparam K. Conservation genetics of the rare and endangered *Leucopogon obtectus* (Ericaceae), 2389
- Zhan B see Hawdon JM
- Zhang Q see Noda H
- Zhang X-X, Kosier B & Priefer UB. Genetic diversity of indigenous *Rhizobium leguminosarum* bv. *viciae* isolates nodulating two different host plants during soil restoration with alfalfa, 2297
- Zheng L see Bonizzoni M
- Ziman AP see Tengs T
- Zoller S see Walser J-C



Keyword index

- 16S, 931
16S mtDNA, 1873, 2541
16S rRNA gene, 81
- Abrothrix*, 397
acorn woodpecker, 1515
adaptation, 551, 2499, 2541, 2729
adaptive divergence, 2741, 2849
adaptive evolution, 1075
adaptive radiation, 1471
Adiantum capillus-veneris, 1881
admixture, 319, 1599
AFLP, 229, 357, 921, 1025, 1165, 1947, 2355, 2389
AFLPs, 419, 683, 1765, 2593
African elephant, 2139
African lakes, 793
Africanized bee, 1347
aggregations, 175
agriculture, 1035
albatross, 2647
Albinaria hippolyti, 1341
Alca torda, 2463
Aleyrodids, 891
alga, 931
algae-associated bacteria, 931
alien species, 911
allele frequency, 2361
allele nucleotide substitution, 29
alligator, 1011
allochronic speciation, 661
Allonemobius, 627
allopatric speciation, 721
allopolyploid, 1689
allozyme, 243, 879, 1787
allozymes, 113, 127, 371, 823, 1133, 1323, 1455, 1563, 1821, 1929, 1983, 2163, 2605, 2729, 2819
Alpine, 1255
Alpine arc, 2555
alpine species, 357
Amanita, 1025
Amazon, 2661
Amblyomma, 639
AMOVA, 891, 2447
amphibian, 1087
amylase multigene family, 649
anadromous form, 1455
Ancylostomidae, 1433
Andricus, 761
Anisantha sterilis, 1035
Anolis, 2661
Anopheles arabiensis, 2577
Anopheles dirus, 569
Anopheles gambiae, 1725
- Antarctic meiofauna, 1061
Antarctica, 1645
antelope, 1679
antigen decay rates, 2049
ants, 2807
aphid, 217
Aphodius, 823
Apis mellifera, 1347, 1733
Aponomma, 639
APSE-1, 217
Araneae, 899
Arctic, 497
Argentine ants, 2151
Armillaria, 387
assignment test, 2107, 2355, 2867, 2877
assortative mating, 1471
Atlantic salmon, 1047, 2375, 2525
Atypus affinis, 1133
Australia, 2561
Austria, 1241
Aves, 1633
avian frugivores, 2275
- Bacillus thuringiensis*, 525, 1069
Balitoridae, 2799
Baltic, 89
Banks Island, 2787
Barbus, 2177
Barren Brome, 1035
Bathymodiolus azoricus, 2819
Bathymodiolus puteoserpentis, 2819
Bayesian statistics, 1265
beringei, 2241
biased gene conversion, 1341
biodiversity, 1593
biogeography, 397, 807, 899, 1743, 2177, 2199, 2661, 2775
bioinfestation, 2515
biological control, 17, 2151
biological invasion, 2095
biological invasions, 2151
biological species, 911
biosafety, 525, 1845
biotypes, 891
birds, 2319
Bombus terrestris, 2095
Bonferroni, 2361
bottleneck, 53, 305, 1357, 1679, 2139, 2463
bovid, 711
Brassica napus, 1069, 1845
breeding system, 285
breeding systems, 265
brown trout, 29
brown-coal mining, 2297
- brushtail possum, 1527
bull trout, 1153
bumblebee, 2095
- Calidris alpina*, 1111
California, 2515
Canadian Arctic, 481
Canary Islands, 427, 1733
Carabus, 2833
Carex, 497
Caridina zebra, 113
Caryocar brasiliense, 349
Caryocaraceae, 349
cassava, 1895
Caulerpa taxifolia, 931
cave-dwelling, 1873
Centaurea corymbosa Pourret, 879
cephalopods, 1101
cerrado, 1143
cetacean, 2215
chimpanzees, 1279, 1835
Chiroptera, 1309
chi-square, 2361
chloroplast DNA, 103, 2013
chloroplast DNA simple sequence repeats, 1489
chloroplast microsatellite, 1909
chromosomal diversity, 2297
chromosomes, 435, 613
Chrysemys picta, 2711
Chrysomelidae, 1751
cichlid, 793, 1075
Cladocera, 371
class II, 2765
class II MHC, 1679
climate change, 627, 639
clines, 1197
clonal diversity, 497
clonal growth, 1811
clonal structure, 2423
clone, 1385
coalescence, 691, 1357, 2669
coalescent, 305, 593
coalescent theory, 2569
coevolution, 1
COI mtDNA, 1873
cold adaptation, 1061
Coleomegilla maculata, 2059
Coleoptera, 427
colonization, 89, 427, 537, 987, 1197, 1983, 2635, 2867
commercial controls, 2355
common guillemot, 2463
community ecology, 1855
computer simulation, 1179

- Conger*, 1873
 conifer, 257
 conifers, 1255
 connectivity, 1929
 conservation, 65, 127, 305, 711, 1633,
 1947, 2107, 2129, 2593, 2741
 conservation genetics, 593, 1143, 1499,
 1657, 2031, 2163, 2479
 conservation units, 2741
 contact rate, 1527
 contingency table, 2361
 control region, 711, 2023, 2479
 cooperative breeding, 1515, 2263
Coregonus artedii, 987
Coregonus, 965
Cottus gobio, 1983
 courtship song, 1765
 cpDNA, 2003, 2079, 2697
 cpDNA *atpB-rbcL* noncoding spacer,
 2669
 cpSSR, 859
Crepidula convexa, 2249
Crepidula fornicata, 2249
Crepidula plana, 2249
 crickets, 703, 751
 crop-weed complexes, 2753
 cryptic species, 1765
 cuckoldry, 461
Culicoides imicola species complex, 1773
Cycas taitungensis, 2669
 cytochrome *b*, 127, 1227, 1593, 2151,
 2235, 2555, 2683

D. yakuba, 649
Dactylorhiza majalis, 2089
 Danube, 1241
 darters, 2235
 decomposition, 1801
 demography, 1703
 density, 859
Diaeretiella rapae, 1845
Diceros bicornis, 2031
Dicrostonyx groenlandicus, 481
 digestion, 2059
 dinoflagellates, 515
 disease prevalence, 2319
 disjunct population, 2605
 dispersal, 113, 175, 371, 481, 867, 987,
 1821, 1917, 1929, 2307, 2867
 divergent allele advantage, 2765
 diversification, 427
 diversity, 229, 1983
 D-loop, 2023, 2241
 DNA fingerprinting, 249, 1515
 DNA microsatellite, 1423
 DNA microsatellites, 2307
 DNA sequence, 537
Dolichovespula, 1003
 domestic cat, 319
 dominance, 2031
 DRB, 1679
 Dreissenidae, 1873

Drosophila mettleri, 1787
Drosophila nigrospiracula, 1787
Drosophila pachea, 1787
Drosophila santomea, 649
 dryinid wasp, 2101
 dunlin, 1111
 Dytiscidae, 721

 ecogeographic, 229
 ecological gradients, 397
 ecological structure, 2499
 ecotype, 987
 ecotypic differentiation, 2013
 ectomycorrhiza, 1025, 1121
 ectomycorrhizae, 1855
 effective number of breeders, 839
 effective population size, 839, 1357
Egernia cunninghami, 867
Egernia stokesii, 175
 elasmobranchs, 295
 elevation, 1255
 endophytic needle fungi, 1801
 endosymbiont, 217
 enteric bacteria, 2499
 environmental gradient, 673
 enzyme electrophoresis, 497
 Epacridaceae, 2389
Epinephelus marginatus, 2163
 epistasis, 1, 683
 Eritrea, 581
Eritrichium nanum, 357
 ESTPs, 2729
 ESU, 1399, 1499
 Eurasia, 2199
 European phylogeography, 2187
Eurya nitida, 2397
 evolution, 65, 793, 1593, 1679, 2013,
 2617
 evolutionarily significant units, 2741
 evolutionary processes, 2741
 extra-pair paternity, 2263

 faeces, 1835
Fasciola hepatica, 1333
 fern, 1881
 fine roots, 2079
 fire ecology, 1665
 fish, 2163
 fish passage, 1153
 fisher, 2341
 fisheries management, 807
 Fisher's exact test, 2361
 food webs, 2049
 forest carnivore, 337, 2341
 forest fire, 1665
 founder effect, 851, 2577
 fragmentation, 349, 779
Fraxinus excelsior, 1615
 freshwater, 2225
 freshwater fishes, 407
F_{ST}, 1197
 F-statistics, 41, 1133, 1323, 1563

 fungi, 947, 1855, 2409
 fur seal, 451

 gallwasp, 761
 gamergates, 167
Gasterosteus, 2435
 gastropod phylogeny, 2249
 Gastropoda, 1341
Gaultheria fragrantissima, 2397
 gene diversity, 481
 gene flow, 113, 205, 257, 471, 481, 569,
 823, 879, 1101, 1197, 1323, 1347,
 1433, 1439, 1725, 2577, 2753, 2787,
 2807
 gene genealogy, 2177, 2329, 2569
 gene transfer, 2297
 generalist predators, 2049
 genet, 387
 genet size, 1025
 genetic, 229, 859
 genetic bottlenecks, 103
 genetic differentiation, 823, 1101, 1323,
 1357, 1733, 1929
 genetic distance, 603, 851, 1633, 1657
 genetic distances, 2199
 genetic diversity, 35, 53, 257, 1035, 1133,
 1207, 1255, 1413, 1577, 1773, 1821,
 1873, 1895, 1909, 1939, 2139, 2389,
 2397, 2499, 2593, 2807
 genetic drift, 851, 1357, 2139
 genetic markers, 921
 genetic structure, 149, 265, 1413, 1455,
 1563, 1615, 1625
 genetic subdivision, 2605
 genetic tagging, 2711
 genetic variability, 295, 1787
 genetic variation, 17, 497, 1087, 1385,
 1657, 1811, 1947, 2635
 genome size, 2409
 genotypic diversity, 2423
 geographical distances, 2199
 geographical distribution, 1947
 geographical genetics, 103
 geographical structure, 2003
 geographical variation, 603, 1939, 2635
 GIS, 603, 1929
 glacial history, 2555
 glacial refuge, 593
 glacial refugia, 371, 497, 761
 glaciation, 2177, 2435
Gnypetoscincus queenslandiae, 1917
Gonioctena pallida, 1751
graueri, 2241
 greater kudu, 711
 grey wolf, 1959, 2787
G_{ST}, 2729
 Gulf of Guinea, 649
Gulo gulo, 337
 gut contents, 2059
Gyrodinium galatheanum, 515

 habitat associations, 721

- habitat fragmentation, 35, 1357
 habitat selection, 673
 Haldane's Rule, 551, 737
 haploid, 1599
 haplotype, 1959
 haplotype and nucleotide diversities, 2329
 haplotype network, 1751
 haplotype tree, 779
 haplotypic diversity, 1489
 heavy metal tolerance, 1909
Hebeloma cylindrosporum, 1121
 hedgehogs, 2187
Helianthus, 683
Helicellinae, 2541
Helix aspersa, 81
Heterohydrax brucei, 2307
 heterosis, 551
 heterozygosity, 2397
 heterozygote excess, 1633
 hidden speciation, 2541
Hirundo rustica, 1539
 historical biogeography, 357, 1247, 2235
 historical demography, 691, 2447
 hominid, 2241
 hominoid, 2241
 honeybee, 1347
Hordeum spontaneum, 1577
 horizontal transmission, 217, 2101
 host, 1
 host race, 761
 host specificity, 2319
 host-parasite interaction, 1333
 host-parasite interactions, 2319
 host-race differentiation, 285
 house mouse, 2023
 Hsp70, 1061
 human, 1599
 human disease, 1333
 HVR-I, 2447
 hybrid, 673, 1047
 hybrids, 2355
 hybrid novelty, 673
 hybrid zone, 435, 551, 603, 965, 1341
 hybrid zones, 537, 613, 683, 703
 hybridization, 319, 661, 779, 1207, 1347, 2003, 2635, 2819, 2833
 hydroelectric dams, 1153
 Hydropsychidae, 243
 Hymenoptera, 2489, 2719

 IGS, 2409
 IGS-1, 387
 immigration, 1625
 impala, 711
 inbreeding, 1279, 1615, 2139
 inbreeding avoidance, 41, 175
 incipient estuarine speciation, 2849
 inclusive fitness, 1515
 individual inbreeding coefficient, 2107
 intergenic spacer, 471
 intergradation, 2819

 internal transcribed spacer (ITS), 2129
 interspecific hybridization, 921
 intertidal snail, 2605
 intrabasin differentiation, 1455
 intraguild predation, 2049
 intramolecular recombination, 2669
 introduced species, 1423, 2151, 2561
 introgression, 319, 569, 737, 965, 1241, 2003, 2013, 2479, 2833
 introgressive hybridization, 149
 invasion, 761, 911, 1689
 invasive species, 931, 1333
 island, 1593
 islands, 1301, 2605
 island colonization, 2023
 isolation, 1959
 isolation by distance, 41, 1439, 1633, 1743, 1917, 1939, 2107
 isozymes, 2013
 ISSR, 1689
 ISSR markers, 2397
 iterative assignment, 2069
 ITS, 387, 931
 ITS-1, 1341
 ITS-RFLP, 1801

 Japan, 911

Kandelia candel, 2697
 Kaneshiro's hypothesis, 751
 kin composition, 265
 kin conflict, 2489
 kin selection, 1003

Lactarius, 1025
 lactate dehydrogenase, 29
 Lake Malawi, 1075
Lampsilis, 2225
 land snail, 1563
 land snails, 2635
 landscape ecology, 1929
 latitude, 497
Laupala, 751
 LDH polymorphism, 29
 leaf shape, 1385
 lek mating, 2043
 length polymorphisms, 1341
Leptophantes tenuis, 2049
 lichenized ascomycetes, 2129
 life cycle, 1665
 likelihood, 2031, 2683
 likelihood analysis, 2263
 lineage sorting, 2669
 lineage-through-time plots, 721
Linepithema humile, 2151
 lingonberry, 1385
 linkage mapping, 683
 lizard, 193, 639
Lobaria pulmonaria, 2129
 locus association, 2697
Loligo, 1101
Loligo forbesi, 1265

Lolium, 229
Lophodermium piceae, 1801
 lotic-lentic differences, 721
 Louisiana Iris, 673
Lymanaea truncatula, 1333

M. m. castaneus, 2349
 macropod, 2867
Magicalada, 661
 major histocompatibility complex (MHC), 851, 1399, 1939, 2525, 2765
 malaria vectors, 569
 male fertilization success, 2423
 male gamete dispersal, 2423
 mammal, 2499
Manihot esculenta, 1895
 man-made habitats, 2013
 Mantel analysis, 603
 marine fish, 149
Marmota marmota, 41
 marsupial, 2561, 2867
Martes pennanti, 2341
 match probability, 249
 mate recognition, 751
 maternity, 1793
 mating asymmetry, 751
 mating strategies, 461, 1279
 mating success, 193
 mating system, 451, 1301, 1309, 1527, 1811, 2719
 mating systems, 1011
 maximum likelihood, 1227
 mbuna, 1075
 medfly, 2515
Medicago sativa, 2753
Medicago truncatula, 1371
 meiotic drive, 2349
Melanerpes, 1515
 metapopulation, 581, 593, 2307
 microsatellite, 53, 149, 319, 337, 807, 879, 1087, 1153, 1265, 1309, 1357, 1645, 1733, 1881, 1895, 2263, 2341, 2375, 2435, 2489, 2515, 2525, 2647, 2719, 2775, 2867
 microsatellites, 41, 65, 103, 167, 175, 185, 193, 249, 285, 295, 305, 349, 451, 461, 569, 737, 839, 965, 1011, 1197, 1279, 1301, 1333, 1371, 1413, 1539, 1563, 1577, 1615, 1657, 1703, 1793, 1917, 1959, 2031, 2069, 2139, 2151, 2163, 2275, 2561, 2617, 2711, 2787, 2807, 2849
 microsatellite DNA, 867, 1101, 1179, 1207, 1625, 2043, 2577, 2877
 microsatellite expansion, 2409
 microsatellite genetic marker, 205
 microsatellite genotyping, 1835
 microsatellite loci, 851, 1399
 microsatellites (SSRs), 1035
 migration, 257, 947, 1111, 1153, 1423, 1959, 2697
 minimum spanning network, 2697

2900 KEYWORD INDEX

- minisatellite DNA profiling, 1047
 mite, 2095
 mitochondria, 2775, 2833
 mitochondrial control region, 1551, 1751, 2447
 mitochondrial DNA, 65, 113, 127, 243, 407, 427, 435, 823, 1207, 1433, 1439, 1703, 1733, 1743, 1967, 2023, 2225, 2235, 2479, 2561, 2617, 2635, 2819, 2849
 mitochondrial DNA *nad1* intron sequence, 1489
 mitochondrial genome, 2329
 mitochondrial RFLP, 1347
 mitochondrial ribosomal large subunit DNA, 2089
 modelling, 581
 molecular markers, 2163
 molecular phylogeny, 2199
 Monte Carlo simulation, 1539
 morphometrics, 2819
 mosaic hybrid zone, 627
 MRPP, 1413
 mtDNA, 89, 371, 419, 603, 711, 721, 737, 965, 987, 1111, 1179, 1241, 1247, 1499, 1593, 1983, 2003, 2177, 2215, 2555, 2569, 2647, 2697
 mtDNA rITS, 2669
 mtDNA variation, 2753
 MU, 1399
 multilocus clines, 435
 multilocus genotype, 2375
 multilocus genotypes, 2877
 multiple mating, 167
 multiple paternity, 1011
 multiple radiation, 1075
 multivariate analyses, 149
Mus musculus, 2349
Mus musculus domesticus, 613, 2023
 mushroom, 471
 Mustelidae, 53, 337
 mustelids, 2341
 mutation model, 305
 mutation rate, 1011
 mutational saturation, 737
 mycorrhiza, 2285
Myzus persicae, 1845

nad1 intron, 257
Nassella pulchra, 1165
 natural dispersal, 2129
 natural recolonization, 2877
 natural selection, 1577
Necator americanus, 1433
 neighbourhood size, 1615, 1917
 nematode, 1433
Nerophis, 1793
 nested clade analysis, 113, 779, 1499, 1751, 1967, 2683
 neutrality, 2729
 niche, 1577
 niche partitioning, 2375

 Nigeria, 2577
 noninvasive genetic sampling, 249
 noninvasive samples, 1835
 noninvasive sampling, 1279
 nonphotosynthetic, 2285
 North Africa, 81
 northern Rocky Mountains, 2683
 Norway spruce, 1801
 nuclear gene loci, 1665
 nucleotide diversity, 1703, 2199, 2799
 nunataks, 357

 obligate pollination mutualism, 1247
Odontesthes, 2849
 odontocete, 2215
Oncorhynchus clarki clarki, 921
Oncorhynchus kisutch, 2775
Oncorhynchus mykiss, 921
 orchid mycorrhizal fungi, 2089
 Orchidaceae, 2089
Ostrinia nubilalis, 2059
 outcrossing, 2389

 Pacific salmon, 2329
 painted turtles, 2711
 palaeoclimate, 537
 panmixia, 243
Panthera onca, 65
Panthera pardus, 2617
 parametric bootstrap, 1227
 Paraná Basin, 407
 parapatry, 639
 parasite, 2095, 2285
 parasite-host, 285
 parentage, 1265, 2031, 2263
 parentage analysis, 205
 parentage assignment, 193
Parus major, 1539
 PASS, 217
 paternity, 1003, 1265, 1279, 1309, 1793, 1835, 2043
 paternity analysis, 451, 1301, 2423, 2711
 pathogen, 1
 PCR, 515, 1111, 1855, 2059
 PCR detection method, 2319
 PCR-RFLP, 29, 471, 1121, 1689, 2003
 PCR-RFLP analysis, 2329
Pema EB, 2765
 Percidae, 2235
 peripheral isolate, 2605
Peromyscus, 35, 2765
 Petersen method, 2711
 phenotypic polymorphism, 243
 phloem sap, 525
Phyllotreta nemorum, 1323
 phylogenetics, 899, 2647
 phylogeny, 185, 387, 419, 649, 1439, 2215, 2225, 2833
 phylogeography, 53, 81, 127, 371, 407, 537, 691, 711, 737, 779, 807, 899, 911, 987, 1227, 1247, 1255, 1439, 1455, 1489, 1499, 1551, 1703, 1751, 1821, 1967, 1983, 2177, 2215, 2225, 2235, 2241, 2447, 2479, 2555, 2569, 2661, 2683, 2697
Picea abies, 257
 pine marten, 2479
 pinniped, 451
Pinus, 859
Pinus oocarpa, 2593
Pinus resinosa, 103
 pit viper, 419
 planthopper, 2101
 plant-pathogen, 285
 plastid, 515
Plathymenia reticulata, 1143
 Pleistocene, 691, 2177, 2661
 Pleistocene glaciation, 81
 Pleistocene glaciations, 2775
 Pleistocene refugia, 397
 Pliocene tectonics events, 81
Plutella xylostella, 1069
Poecilus cupreus, 2049
 pollen, 859
 pollen flow, 205
Polybioides, 185
 polygyny, 2031, 2719
 polymorphism, 2833
Polytrichum formosum, 2423
Pomatoschistus minutus, 461
 population, 53, 1413, 2525
 populations, 89
 population assignment, 2375
 population decline, 1633
 population differentiation, 1197, 1255, 2555
 population dynamics, 581
 population estimation, 249
 population expansion, 569
 population genetic structure, 17, 41, 295, 349, 1773, 2463
 population genetics, 103, 807, 1011, 1111, 1143, 1179, 1551, 1645, 1725, 1939
 population history, 2635
 population reduction, 305
 population size, 17
 population structure, 205, 337, 879, 1087, 1101, 1121, 1133, 1179, 1371, 1439, 1665, 1703, 1733, 1787, 1821, 1881, 2341, 2435, 2541, 2593, 2729
 population subdivision, 1577
Posidonia, 1413
 postfire fungi, 1665
 postglacial colonization, 2187
Potos flavus, 1539
 power, 1179
 predation, 2059
 prey specialization, 2787
 probability of identity, 249
Procapra johnstoni, 2307
Prochilodus, 407
 Protozoa, 1061

- pSym diversity, 2297
 purse-web spider, 1133
Pygoscelis adeliae, 1645

Q_{ST}, 2729
QTL, 1
QTLs, 683
 quantitative PCR, 1835
 quantitative shell variation, 2541
 quantitative traits, 2729
 Quaternary glacial survival, 357
 queenless ponerine ants, 167

 radiation, 2215
 RAMS, 1801
Rana luteiventris, 1499
 range expansion, 593, 761, 1743
 RAPD, 35, 1143, 1371, 1689, 2389, 2799
 RAPDs, 673, 1385, 1773, 2593
 RAPD-PCR, 17
 rare, 2389
 rate of substitution, 1399
Rattus fuscipes, 2069
Rattus leucopus, 2069
 razorbill, 2463
 rDNA, 1341
 rDNA intergenic spacer, 1121
 re-colonization, 1527
 recombinant races, 613
 recombination, 947
 recombination block, 2409
 reconciled trees, 419
 refuge, 987
 refuge hypothesis, 2661
 refugia, 1743, 2775
 reinforcement, 627
 reintroduction, 1657
 relatedness, 175, 265, 867, 1003, 1309, 1539, 2107, 2489, 2719
 relative age, 2669
 relative ages, 2697
 relative fitness, 627
 reproductive character displacement, 661
 reproductive isolation, 627, 2435
 reproductive skew, 1515
 reproductive strategies, 451
 reproductive success, 193, 1047, 2031
 resistance, 1323
 restoration, 2297
 RFLP, 89
 RFLPs, 387
Rhizobium, 2297
Rhopalosiphum padi, 525
Rhytidoponera, 167
 ribosomal DNA, 435, 899
 risk assessment, 1845
 Robertsonian fusions, 613
Ropalidiini, 185
rps2, 2285
 rRNA operon, 387
Russula, 1025

 sage grouse, 2043
Salmo salar, 1047, 2375, 2877
Salmo trutta, 1241, 1455, 1551
 salmon, 89
 salmonid, 29
 salmonids, 921
 Salmonidae, 807
Salvelinus, 1153
 sampling variation, 1539
 São Tomé, 649
Sceloporus grammicus, 435
Schistocerca gregaria, 581
Sclerotinia, 947, 2409
Sebastes, 149
 secondary contact, 661
 secondary symbiont, 217
 seed dispersal, 1811, 2275, 2753, 2275
 seed shadow, 2275
 seedling bank, 205
 seedling recruitment, 1811
 selection, 2525
 self-fertilization, 1165
 selfing rate, 1371
 sequencing, 89, 1551
 serine protease inhibitors, 1069
 sex-bias, 867
 sex-specific, 1599
 sexual isolation, 751
 sexual reproduction, 1895
 sexual selection, 193, 461, 751, 2043
 sexually transmitted disease, 285
 sharks, 295
 shrews, 1227
 sibling species, 911, 2249
Sigmodon hispidus, 1939
 Sigmodontinae, 397
 sika deer (*Cervus nippon*), 1357
Silene paradoxa, 1909
 silverside fish, 2849
 silverswords, 1657
 simple sequence repeats, 1577
 single nucleotide polymorphism, 737
 single pelotons, 2089
 site compatibility, 947
 skinks, 1917
 sky islands, 691
 small rodent cycles, 481
 small subunit ribosomal RNA, 515
 snow litter samples, 2129
 social behaviour, 265
 social evolution, 2489
 social insect, 2719
 social insects, 265, 1003, 1423
 social organization, 1309, 2807
Sorex, 1227, 2199
 Soricidae, 127
 southeastern Europe, 1615
Spartina anglica, 1689
 spatial autocorrelation, 867, 1563
 spatial population structure, 823
 spatial variation, 2275
 spawning behaviour, 1047

 specialization, 2285
 speciation, 397, 537, 551, 613, 661, 691, 947, 965, 1075, 1247, 1471, 2435, 2569, 2647
 species, 779, 793, 1399
 species concepts, 2741
 species identification, 1773, 2069
 species tree, 419
 sperm DNA, 167
 spider taxonomy, 899
Spodoptera littoralis, 525
 spore trapping, 471
 squid, 1265
 SSCP, 1551
 statistical analysis, 2361
 stepping stone, 1743
 stocking, 1241, 2107
 Strepsiptera, 2101
 stress response, 1061
 structure, 859
 sturgeon, 2355
Stylosanthes humilis, 1947
Stylosanthes viscosa, 1947
 subspecies, 2617
 sunflowers, 683
 swarm-founding, 185
 symbiosis, 2285
 symmetric balancing selection, 2765
 sympatry, 1471
Symplocos laurina, 2397
 synergism, 1069
 Syngnathidae, 1793

Tachycineta bicolor, 1301
 Taiwan, 1967
Tamias amoenus, 1625
Tamias ruficaudus, 2683
 tandem repeats, 1489
 taqman, 515
 taxon identification, 2079
 taxonomy, 1765
 temporal method, 839
 temporal variation, 1371
 territories, 193
Thalassarche, 2647
t-haplotypes, 2349
 thermal profile, 2499
 thermotolerance, 1061
 tick, 639
Tilapia, 1471
 topographic barriers, 2787
 transgenic, 1069
 transgenic plants, 525, 1845
 transmission ratio distortion, 2349
 trans-species, 1679
 tree swallows, 1301
 trees, 2079
 Trichoptera, 243, 1821
Trichosurus vulpecula, 1527
Trimeresurus stejnegeri, 1967
 tritrophic interactions, 1845
Triturus cristatus, 839

2902 KEYWORD INDEX

Triturus marmoratus, 839
trnL intron, 2079
 troglobitic fishes, 2799
 tropical tree, 349, 1143
Trypanosoma, 2319

unidirectional incompatibility, 703
 Unionidae, 2225
 universal primers, 2079
Uria aalge, 2463

Vaccinium vitis-idaea, 1385
 vegetative propagation, 1895
 Vespinae, 1003
Viola riviniana, 1811
 viscosity, 2807

weed, 17, 1035
 wet tropics, 2069
 whitefly, 891
 wild mice, 2349

wildcat, 319
Wolbachia, 703, 2101
 wolverine, 337

Y chromosome, 1599, 1959
 yellowjacket wasp, 1423
 Yellow-legged Gulls, 2447
 yellow-pine chipmunk, 1625
 yucca-yucca moth interaction,
 1247

